

Product features

| Cooking range gas with static gas oven GN 2/1 - 6x burner ECO | | |
|---|---------------------------|----------|
| Model | SAP Code | 00110108 |
| SPBT 70/120 21 G | A group of articles - web | Stoves |




- Device type: Gas unit
- Power consumption of the zone 1 [kW]: 6
- Power consumption of the zone 2 [kW]: 6
- Power consumption of the zone 3 [kW]: 6
- Power consumption of the zone 4 [kW]: 6
- Power consumption of the zone 5 [kW]: 4,5
- Power consumption of the zone 6 [kW]: 4,5
- Type of internal part of the appliance 1 (eg oven): Gas
- Type of internal part of the appliance 2 (eg oven): Static
- Material: AISI 304 top plate, AISI 430 cladding

| SAP Code | 00110108 | Power consumption of the zone 3 [kW] | 6 |
|--------------------------------------|--------------------------------|--|--------|
| Net Width [mm] | 1200 | Power consumption of the zone 4 [kW] | 6 |
| Net Depth [mm] | 700 | Power consumption of the zone 5 [kW] | 4,5 |
| Net Height [mm] | 900 | Power consumption of the zone 6 [kW] | 4,5 |
| Net Weight [kg] | 129.00 | Type of internal part of the appliance 1 (eg oven) | Gas |
| Power gas [kW] | 37.000 | Type of internal part of the appliance 2 (eg oven) | Static |
| Type of gas | Natural gas, propane butane | Width of internal part [mm] | 682 |
| Number of zones | 6 | Depth of internal part [mm] | 558 |
| Power consumption of the zone 1 [kW] | 6 | Height of internal part [mm] | 348 |
| Power consumption of the zone 2 [kW] | 6 | Diameter of device [mm] | 100 |



Technical drawing

| Cooking range gas with static gas oven GN 2/1 - 6x burner ECO | | |
|---|---------------------------|----------|
| Model | SAP Code | 00110108 |
| SPBT 70/120 21 G | A group of articles - web | Stoves |





Product benefits

| Cooking range gas with static gas oven GN 2/1 - 6x burner ECO | | |
|---|---------------------------|----------|
| Model | SAP Code | 00110108 |
| SPBT 70/120 21 G | A group of articles - web | Stoves |

1

Massive construction of burners

high performance and efficiency cast iron burners removable long life

- energy saving (perfect combustion)
- time saving for food preparation
- easy maintenance/cleaning

2

Hygienic moldings of the top plate

absence of sharp corners and edges (potential places where dirt could stick) smooth transitions

- easy quick cleaning

3

Degree of protection of the control elements IPX4

maintenance-free system resistance to splash water long life

- savings on service interventions
- easy cleaning and maintenance of equipment

4

All-stainless design

long life resistance of a ground steel plate with a thickness of 10 mm

- savings on service interventions
- higher corrosion resistance

5

Safety element - thermocouple

safe operation for personnel there is no overheating and damage to the thallus long life

- savings on service interventions
- easier and faster operation

6

Large electric oven with four positions for racks with static cooking

possibility of baking high capacity and variability all-stainless design

- suitable for yeast dishes and desserts
- long service life
- easy to clean



Technical parameters

| Cooking range gas with static gas oven GN 2/1 - 6x burner ECO | | |
|---|---------------------------|--|
| Model | SAP Code | 00110108 |
| SPBT 70/120 21 G | A group of articles - web | Stoves |
| 1. SAP Code: 00110108 | | 15. Worktop material: AISI 304 |
| 2. Net Width [mm]: 1200 | | 16. Worktop Thickness [mm]: 1.20 |
| 3. Net Depth [mm]: 700 | | 17. Number of zones: |
| 4. Net Height [mm]: 900 | | 18. Power consumption of the zone 1 [kW]: |
| 5. Net Weight [kg]: 129.00 | | 19. Power consumption of the zone 2 [kW]: |
| 6. Gross Width [mm]: 1240 | | 20. Power consumption of the zone 3 [kW]: |
| 7. Gross depth [mm]: 800 | | 21. Power consumption of the zone 4 [kW]: |
| 8. Gross Height [mm]: 975 | | 22. Power consumption of the zone 5 [kW]: 4,5 |
| 9. Gross Weight [kg]: 146.00 | | 23. Power consumption of the zone 6 [kW]: 4,5 |
| 10. Device type: Gas unit | | 24. Number of power control stages: |
| 11. Construction type of device: With substructure | | 25. Adjustable feet: Yes |
| 12. Power gas [kW]: 37.000 | | 26. Number of burners/hot plates: |
| 13. Type of gas: Natural gas, propane butane | | 27. Diameter of device [mm]: |
| | | |

14. Material:

AISI 304 top plate, AISI 430 cladding

28. Type of gas cooking zones:

Cast iron burners



Technical parameters

| Cooking range gas with static gas oven GN 2/1 - 6x burner ECO | | |
|---|---------------------------|---|
| Model | SAP Code | 00110108 |
| SPBT 70/120 21 G | A group of articles - web | Stoves |
| 29. Type of internal part of the appliance 1 (eg oven): Gas | | 33. Height of internal part [mm]: 348 |
| 30. Type of internal part of the appliance 2 (eg oven): Static | | 34. Maximum temperature of the inner chamber [°C]: 300 |
| 31. Width of internal part [mm]: 682 | | 35. Minimum temperature of the inner chamber [°C]: 50 |
| 32. Depth of internal part [mm]: 558 | | 36. Connection to a ball valve: 1/2 |

tel.: +420 381 582 284 e-mail: rmgastro@rmgastro.com web: www.rmgastro.com