

# Technical data sheet

## Product features



### Combi convection steam oven electric 5x GN 1/1 direct steam touch screen automatic cleaning right door

|               |                                  |                     |
|---------------|----------------------------------|---------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00012877            |
| MPD 0511 ERAM | <b>A group of articles - web</b> | Convection machines |



- Steam type: Injection
- Number of GN / EN: 5
- GN / EN size in device: GN 1/1, EN 600x400
- GN device depth: 65
- Control type: Touchscreen + buttons
- Display size: 7"
- Humidity control: Yes, indirect measuring
- Advanced moisture adjustment: No
- Delta T heat preparation: Yes
- Multi level cooking: Drawer program - control of heat treatment for each dish separately
- Door constitution: Vented safety double glass, removable for easy cleaning

|                            |                    |                               |                       |
|----------------------------|--------------------|-------------------------------|-----------------------|
| <b>SAP Code</b>            | 00012877           | <b>Steam type</b>             | Injection             |
| <b>Net Width [mm]</b>      | 907                | <b>Number of GN / EN</b>      | 5                     |
| <b>Net Depth [mm]</b>      | 752                | <b>GN / EN size in device</b> | GN 1/1, EN 600x400    |
| <b>Net Height [mm]</b>     | 657                | <b>GN device depth</b>        | 65                    |
| <b>Net Weight [kg]</b>     | 75.00              | <b>Control type</b>           | Touchscreen + buttons |
| <b>Power electric [kW]</b> | 6.300              | <b>Display size</b>           | 7"                    |
| <b>Loading</b>             | 400 V / 3N - 50 Hz |                               |                       |


# Technical data sheet

Technical drawing



Combi convection steam oven electric 5x GN 1/1 direct steam touch screen automatic cleaning right door

|               |                                  |                     |
|---------------|----------------------------------|---------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00012877            |
| MPD 0511 ERAM | <b>A group of articles - web</b> | Convection machines |



- A Electrical connection
- B Softened water inlet (G3/4)
- C Equipotential bonding
- D Drain (Ø30)
- E Humidity discharge (Ø50)
- F Detergent hose inlet

\* Clearance requirements

## NOTE

\* Drain line must be vented

# Technical data sheet

## Technical parameters



### Combi convection steam oven electric 5x GN 1/1 direct steam touch screen automatic cleaning right door

|               |                                  |                     |
|---------------|----------------------------------|---------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00012877            |
| MPD 0511 ERAM | <b>A group of articles - web</b> | Convection machines |

**1. SAP Code:**

00012877

**2. Net Width [mm]:**

907

**3. Net Depth [mm]:**

752

**4. Net Height [mm]:**

657

**5. Net Weight [kg]:**

75.00

**6. Gross Width [mm]:**

940

**7. Gross depth [mm]:**

900

**8. Gross Height [mm]:**

780

**9. Gross Weight [kg]:**

85.00

**10. Device type:**

Electric unit

**11. Power electric [kW]:**

6.300

**12. Loading:**

400 V / 3N - 50 Hz

**13. Material:**

AISI 304

**27. Detergent type:**

Liquid washing detergent + water rinse

**14. Exterior color of the device:**

Stainless steel

**15. Humidity control:**

Yes, indirect measuring

**16. Stacking availability:**

Yes

**17. Control type:**

Touchscreen + buttons

**18. Additional information:**

possibility of reverse door opening - handle on the right side (must be specified when ordering)

**19. Steam type:**

Injection

**20. Chimney for moisture extraction:**

Yes

**21. Delayed start:**

Yes

**22. Display size:**

7"

**23. Delta T heat preparation:**

Yes

**24. Unified finishing of meals EasyService:**

Yes

**25. Night cooking:**

Yes

**26. Washing system:**

Open

**42. Interior lighting:**

Yes

# Technical data sheet



## Technical parameters

### Combi convection steam oven electric 5x GN 1/1 direct steam touch screen automatic cleaning right door

|               |                                  |                     |
|---------------|----------------------------------|---------------------|
| <b>Model</b>  | <b>SAP Code</b>                  | 00012877            |
| MPD 0511 ERAM | <b>A group of articles - web</b> | Convection machines |

**28. Multi level cooking:**

Drawer program - control of heat treatment for each dish separately

**29. Advanced moisture adjustment:**

No

**30. Slow cooking:**

from 50 °C

**31. Fan stop:**

Interruption when door is opened, not braked

**32. Lighting type:**

LED lighting in the door, on one side

**33. Cavity material and shape:**

AISI 304, with rounded corners for easy cleaning

**34. Reversible fan:**

Yes

**35. Sustaine box:**

Yes

**36. Standard equipment for device:**

1-point probe

**37. Heating element material:**

Incoloy

**38. Probe:**

Yes

**39. Shower:**

Manual (optional)

**40. Distance between the layers [mm]:**

74

**41. Smoke-dry function:**

Yes

**43. Low temperature heat treatment:**

Yes

**44. Number of fans:**

1

**45. Number of fan speeds:**

3

**46. Number of programs:**

1000

**47. USB port:**

Yes, for uploading recipes and updating firmware

**48. Door constitution:**

Vented safety double glass, removable for easy cleaning

**49. Number of preset programs:**

100

**50. Number of recipe steps:**

9

**51. Minimum device temperature [°C]:**

50

**52. Maximum device temperature [°C]:**

300

**53. Device heating type:**

Combination of steam and hot air

**54. HACCP:**

Yes

**55. Number of GN / EN:**

5

**56. GN / EN size in device:**

GN 1/1, EN 600x400

# Technical data sheet

Technical parameters



Combi convection steam oven electric 5x GN 1/1 direct steam touch screen automatic cleaning right door

|               |                           |                     |
|---------------|---------------------------|---------------------|
| Model         | SAP Code                  | 00012877            |
| MPD 0511 ERAM | A group of articles - web | Convection machines |

**57. GN device depth:**

65

**60. Diameter nominal:**

DN 50

**58. Food regeneration:**

Yes

**61. Water supply connection:**

3/4"

**59. Cross-section of conductors CU [mm²]:**

1