

# Technical data sheet

## Product features



### Electric crepés machine elektrický 2 cooking plates 2x d=35 cm 400 V

|              |                                  |             |
|--------------|----------------------------------|-------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00006979    |
| CRE 235      | <b>A group of articles - web</b> | Crepemakers |



- Surface finish: enameled cast iron
- Diameter of device [mm]: 350
- Minimum device temperature [°C]: 50
- Maximum device temperature [°C]: 270
- Indicators: operation and warm-up
- Standard equipment for device: including wooden accessories - turner and spreader

|                            |          |                                        |                    |
|----------------------------|----------|----------------------------------------|--------------------|
| <b>SAP Code</b>            | 00006979 | <b>Loading</b>                         | 400 V / 3N - 50 Hz |
| <b>Net Width [mm]</b>      | 760      | <b>Surface finish</b>                  | enameled cast iron |
| <b>Net Depth [mm]</b>      | 380      | <b>Diameter of device [mm]</b>         | 350                |
| <b>Net Height [mm]</b>     | 190      | <b>Minimum device temperature [°C]</b> | 50                 |
| <b>Net Weight [kg]</b>     | 29.10    | <b>Maximum device temperature [°C]</b> | 270                |
| <b>Power electric [kW]</b> | 4.800    |                                        |                    |

# Technical data sheet

Technical drawing



Electric crepés machine elektrický 2 cooking plates 2x d=35 cm 400 V

|         |                           |             |
|---------|---------------------------|-------------|
| Model   | SAP Code                  | 00006979    |
| CRE 235 | A group of articles - web | Crepemakers |

# Technical data sheet



## Product benefits

### Electric crepés machine elektrický 2 cooking plates 2x d=35 cm 400 V

|         |                           |             |
|---------|---------------------------|-------------|
| Model   | SAP Code                  | 00006979    |
| CRE 235 | A group of articles - web | Crepemakers |

1

#### All-stainless design of the cladding except for the hotplate

only stainless steel intended for food contact is used

- absolutely rust-proof and non-magnetic design
- resists even weak acids easier compliance with hygiene standards (HACCP); easy maintenance and cleaning

2

#### Run and warm-up light

optical possibility to check the status of the device

- the operator immediately knows the on/off, heating/ non-heating state of the appliance

3

#### Cast iron enamelled plate

suitable material for pancake makers

- quality heating and non-scorching surface of the pancake cooker plate even heat distribution quality and evenly prepared pancakes

4

#### Separate control for different sections

adjustable control

- possibility to switch off the currently unused part of the pancake maker

5

#### 2x Plate with a diameter of 350 mm

large frying surface

- possibility to make large pancakes on two plates at the same time greater production and more profit in the same time

# Technical data sheet

## Technical parameters



### Electric crepés machine elektrický 2 cooking plates 2x d=35 cm 400 V

|              |                                  |             |
|--------------|----------------------------------|-------------|
| <b>Model</b> | <b>SAP Code</b>                  | 00006979    |
| CRE 235      | <b>A group of articles - web</b> | Crepemakers |

**1. SAP Code:**

00006979

**2. Net Width [mm]:**

760

**3. Net Depth [mm]:**

380

**4. Net Height [mm]:**

190

**5. Net Weight [kg]:**

29.10

**6. Gross Width [mm]:**

430

**7. Gross depth [mm]:**

810

**8. Gross Height [mm]:**

240

**9. Gross Weight [kg]:**

30.00

**10. Device type:**

Electric unit

**11. Construction type of device:**

Table top

**12. Material:**

Stainless steel

**13. Power electric [kW]:**

4.800

**14. Loading:**

400 V / 3N - 50 Hz

**15. Standard equipment for device:**

including wooden accessories - turner and spreader

**16. Minimum device temperature [°C]:**

50

**17. Maximum device temperature [°C]:**

270

**18. Protection of controls:**

IPX4

**19. Indicators:**

operation and warm-up

**20. Adjustable feet:**

Yes

**21. Surface finish:**

enameled cast iron

**22. Diameter of device [mm]:**

350